

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tsuyoshi KUBOTA et al.	Art Unit: 2167
Application No.: 10/743,458	
Confirmation No.: 8146	Examiner: C. Kim
Filing or 371(c) Date: December 23, 2003	
Title: SPLIT TYPE CONNECTING ROD	

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated April 11, 2007, the period for response to which has been extended to September 11, 2007, by the accompanying Petition for a TWO-month Extension of Time, please consider Applicant's arguments and remarks concerning the rejections issued in the Office Action dated April 11, 2007. Applicant has filed a Notice of Appeal with this Pre-Appeal Brief Request for Review.

Claims 1-24, 31, and 32 are pending in this application.

First, the Examiner alleged that Mukai et al. teaches a valley 11₂, 12₂ and a fracture starting point groove 11₁, 12₁ formed at a base portion of the valley. The Examiner acknowledged that Mukai et al. fails to show the upper and lower surfaces of the fracture starting point groove having an angle of about 10 degrees or less, or parallel to, the fracture plane. The Examiner further alleged:

It would have been an obvious matter of design choice to make the angle of fracture starting point groove of Mukai et al. less than 10 degrees or less from [*sic*] (or parallel to) the fracture plane, since such a modification would have involved a mere change in the shape of the groove. A change in size or shape is generally recognized as being within the level of ordinary skill in the art. *In re Rose*, 105 USPQ 237 (CCPA 1955). Furthermore, a discovery of optimum range within prior art general conditions is also generally recognized as being within the level of

ordinary skill in the art. *In re Aller et al.*, 105 USPQ 233.

Applicant respectfully disagrees because Mukai et al. specifically teaches that the upper and lower surfaces 11₁, 12₁ of the fracture starting point groove form an angle θ_1 of “**45° to 50°, preferably 50°**” (see, for example, lines 44-47 in column 3 of Mukai et al.). Since Mukai et al. discloses that the angle θ_1 extends from the upper surface to the lower surface of the fracture starting point groove, the angle from the upper/lower surface to the fracture plane is half of the angle θ_1 , i.e., **22.5° to 25°, preferably 25°**.

The Examiner has completely failed to provide any proper motivation why one of ordinary skill in the art would deviate from the express teachings of Mukai et al. that the upper and lower surfaces of the fracture starting point groove define an angle from 22.5° to 25° with respect to the fracture plane.

Alternatively, the Examiner alleged that a “discovery of optimum range within prior art general conditions is also generally recognized as being within the level of ordinary skill in the art.” However, the Examiner is reminded that “[a] particular parameter must first be recognized as a result-effective variable, i.e., a variable which achieves a recognized result, before the determination of the optimum or workable ranges of said variable might be characterized as routine experimentation.” In re Antonie, 195 USPQ 6 (CCPA 1977) and MPEP §2144.05(II)(B). The Examiner has failed to show that this angle is a result-effective variable.

Furthermore, Mukai et al. teaches a very narrow range of angles, i.e., **22.5° to 25°**, and neither teaches nor suggests anything at all about modifying this range. Moreover, Mukai et al. discloses that the preferred angle lies at the upper end of the range, i.e., **25°**. It is noted that the Examiner’s proposed modification would reduce the angle disclosed by Mukai et al. **by more than half**. Clearly, it would not have been obvious to one of ordinary skill in the art to “discover the optimum range” of 10 degrees or less, when the prior art specifically teaches an angle that is more than twice that.

Second, the Examiner alleged that Spurny teaches a valley D and a fracture starting point groove 13 provided at the base portion of the valley. The Examiner

acknowledged that Spurny fails to show the upper and lower surfaces of the fracture starting point groove having an angle of about 10 degrees or less, or parallel to, the fracture plane. Again, the Examiner alleged that it would have been an obvious matter of design choice, or a mere change in size, or the discovery of an optimum range to make the angle of the upper and lower surfaces of the fracture starting point groove less than 10 degrees, or parallel to, the fracture plane (see, for example, the first full paragraph on page 5 of the outstanding Office Action).

However, the fracture starting point groove of Spurny appears to form an even larger angle (e.g., 30° to 40°) with respect to the fracture plane than that disclosed by Mukai et al. (see, for example, Fig. 3 of Spurny). Again, the Examiner has completely failed to provide any proper motivation why one of ordinary skill in the art would modify the angle disclosed by Spurny to be less than 10 degrees, or parallel to, the fracture plane.

Third, the Examiner alleged that AAPA shows in Figs. 1A and 1B upper and lower surfaces of the fracture starting point groove parallel to a predetermined fracture plane. The Examiner further alleged that it would have been obvious to one of ordinary skill in the art to provide the fracture starting configuration disclosed in AAPA with a valley as taught by Mukai et al. to prevent damage to the valley during the breaking and dividing of the connecting rod.

Applicant respectfully disagrees because Figs. 1A and 1B of Applicant's drawings do **NOT** show upper and lower surfaces of the fracture starting point groove being parallel to a predetermined fracture plane, as alleged by the Examiner. Fig. 1A shows a distant view of the fracture starting point groove 51 wherein the upper and lower surfaces only appear to be parallel to the fracture plane. Fig. 3 is a close up view showing the fracture starting point groove 51 shown in Fig. 1A, in which the upper and lower surfaces are clearly **NOT** parallel to the fracture plane. Furthermore, in the second full paragraph on page 1 of Applicant's specification, which addresses the fracture starting point groove 51 shown in Figs. 1A and 1B, Applicant refers to U.S. Patent No. 4,569,109 (the '109 patent) as an example of a connecting rod having a

similar fracture starting point groove. As can be seen in, for example, Figs. 1, 4, and 10 of the '109 patent, the fracture starting point grooves 42, 44 and 84, 85 are clearly **NOT** parallel to the fracture plane. Accordingly, Applicant respectfully submits that the Examiner has mischaracterized the fracture starting point groove 51 shown in Figs. 1A and 1B of Applicant's drawings.

Assuming *arguendo* that it would have been obvious to combine AAPA with the valley of Mukai et al., the Examiner has failed to establish why one of ordinary skill in the art would ignore the specific teachings of Mukai et al. to provide the upper and lower surfaces of the fracture starting point groove with an angle from 22.5° to 25° with respect to the fracture plane.

Since Figs. 1A to 3 of Applicant's drawings and the '109 patent fail to teach or suggest a preferred angle of the upper and lower surfaces of the fracture starting point groove with respect to the fracture plane, one of ordinary skill in the art would have been motivated to use an angle from 22.5° to 25° as taught by Mukai et al. since only Mukai et al. provides any teaching whatsoever with respect to the specific angle of the upper and lower surfaces of the fracture starting point groove with respect to the fracture plane.

Fourth, the Examiner alleged that Ishida et al. teaches a fracture starting point groove 21 provided at the base portion of a valley 5a, 5b, 6a, 6b. The Examiner acknowledged that Ishida et al. fails to show the upper and lower surfaces of the fracture starting point groove having an angle of about 10 degrees or less, or parallel to, the fracture plane. Again, the Examiner alleged that it would have been an obvious matter of design choice, or a mere change in size, or the discovery of an optimum range to make the angle of fracture starting point groove less than 10 degrees, or parallel to, the fracture plane (see, for example, the first and second full paragraphs on page 9 of the outstanding Office Action).

Applicant respectfully disagrees because Ishida et al. specifically discloses that the fracture starting point groove 21 is provided with a **"V-shaped notch cross section"** (see, for example, lines 10-12 in column 9 of Ishida et al.). Thus, the fracture starting

point groove 21 of Ishida et al. is similar to the fracture starting point groove 11₁, 12₁ disclosed by Mukai et al.

Since Ishida et al. fails to teach or suggest a preferred angle of the upper and lower surfaces of the fracture starting point groove with respect to the fracture plane, one of ordinary skill in the art would have been motivated to use an angle from 22.5° to 25° as taught by Mukai et al. since only Mukai et al. provides any teaching whatsoever with respect to the specific angle of the upper and lower surfaces of the fracture starting point groove with respect to the fracture plane.

In view of the foregoing remarks, Applicant respectfully submits that claims 1 and 21 are allowable. Claims 2-20, 22-24, 31, and 32 depend upon claims 1 and 21, and are therefore allowable for at least the reasons that claims 1 and 21 are allowable.

In view of the foregoing remarks, Applicant respectfully submits that this application is in condition for allowance. Favorable consideration and prompt allowance are solicited.

To the extent necessary, Applicant petitions the Commissioner for a TWO-month extension of time, extending to September 11, 2007, the period for response to the Office Action dated April 11, 2007.

The Commissioner is authorized to charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account No. 50-1353.

Respectfully submitted,

Dated: September 11, 2007

/Stephen R. Funk #57,751/
Attorneys for Applicant(s)

KEATING & BENNETT, LLP
8180 Greensboro Drive, Suite 850
Tyson's Corner, VA 22102
Telephone: (703) 637-1480
Facsimile: (703) 637-1499

Joseph R. Keating
Registration No. 37,368

Stephen R. Funk
Registration No. 57,751

PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional) 90606.2/wa								
<p>I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)]</p> <p>on <u>September 11, 2007</u></p> <p>Signature <u>/Michelle Rhodes/</u></p> <p>Typed or printed name <u>Michelle Rhodes</u></p>	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td style="width: 50%; padding: 5px;">Application Number 10/743,458</td><td style="width: 50%; padding: 5px;">Filed December 23, 2003</td></tr><tr><td colspan="2" style="padding: 5px;">First Named Inventor Tsuyoshi KUBOTA</td></tr><tr><td style="padding: 5px;">Art Unit 2167</td><td style="padding: 5px;">Examiner C. Kim</td></tr></table>		Application Number 10/743,458	Filed December 23, 2003	First Named Inventor Tsuyoshi KUBOTA		Art Unit 2167	Examiner C. Kim		
Application Number 10/743,458	Filed December 23, 2003									
First Named Inventor Tsuyoshi KUBOTA										
Art Unit 2167	Examiner C. Kim									
<p>Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.</p> <p>This request is being filed with a notice of appeal.</p> <p>The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.</p> <p>I am the</p> <table style="width: 100%;"><tr><td style="width: 50%;"><input type="checkbox"/> applicant/inventor.</td><td style="width: 50%; text-align: center;"><u>/Stephen R. Funk #57,751/</u> Signature</td></tr><tr><td><input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)</td><td style="text-align: center;"><u>Stephen R. Funk</u> Typed or printed name</td></tr><tr><td><input type="checkbox"/> attorney or agent of record. Registration number _____</td><td style="text-align: center;"><u>703-637-1480</u> Telephone number</td></tr><tr><td><input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>57,751</u></td><td style="text-align: center;"><u>September 11, 2007</u> Date</td></tr></table> <p>NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.</p>			<input type="checkbox"/> applicant/inventor.	<u>/Stephen R. Funk #57,751/</u> Signature	<input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	<u>Stephen R. Funk</u> Typed or printed name	<input type="checkbox"/> attorney or agent of record. Registration number _____	<u>703-637-1480</u> Telephone number	<input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>57,751</u>	<u>September 11, 2007</u> Date
<input type="checkbox"/> applicant/inventor.	<u>/Stephen R. Funk #57,751/</u> Signature									
<input type="checkbox"/> assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	<u>Stephen R. Funk</u> Typed or printed name									
<input type="checkbox"/> attorney or agent of record. Registration number _____	<u>703-637-1480</u> Telephone number									
<input checked="" type="checkbox"/> attorney or agent acting under 37 CFR 1.34. Registration number if acting under 37 CFR 1.34 <u>57,751</u>	<u>September 11, 2007</u> Date									
<input type="checkbox"/> *Total of _____ forms are submitted.										

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS: SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (*i.e.*, GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.